

RVTECH









HD Cameras

High Definition Reversing Camera System

\$870

High quality, high definition industrial class reversing camera system


Smart IR night vision, audio and a IP69K rated heated camera makes this one of the most versatile kits on the market.

5m, 10m, 15m, 20m camera cables available.

Also includes a completely automatic IR filter for true daytime colour and exceptional night vision.

Features

- NZ Based warranty
- Daytime brightness and auto dimming
- Cast alloy camera
- Demisting heater. IP69K rated.
- Wide 160° viewing angle
- 3 x AHD & CVBS camera inputs
- 100 duty cycle can be left on 24/7
- Reverse grid & automatic triggering
- · Day/night infra-red filter





<u>Specifications</u> Camera		Installed	
water / dust rating	I	IP69K with built in Heater	
Resolution	I	720P	
Audio	- 1	Yes	
Night Vision	I	5m (smart IR)	
Monitor			
Resolution	I	1024 x 600	
Brightness	- 1	500cd/m2 and auto dimming	
Camera Inputs	- 1	3 x AHD,CVBS auto selecting	
System Input Voltage	Ī	10V-36V	

7" Vision S Wireless Camera System

The Furrion Vision S
Camera System is
designed to assist the
driver by providing a
clear and wide image of
the area behind the vehicle
whenever the vehicle is
shifted into reverse.

We have tested many many Wireless cameras and this is the only one we would recommend if you cannot use a fully wired system

Great for Boats, Caravans where running wires is difficult or not possible

Also good if you use different towing vehicles



REAR CAMERA



7" MONITOR



INTERIOR TABLE STAND



WINDSHIELD MOUNT

MONITOR & ACCESSORIES









REAR ASSIST MARKER LINES



SECURITY CAMERA AUTO-WAKE



DISPLAY UP TO 4 CAMERAS*











REAR CAMERA











.

WATERPROO



Digital RV



Our install packages are the best way to purchase, they are fully installed including cables, connectors, sealants & labour If you choose multiple packages then discounts may apply, they also include full operational training.



Sat Packages

DRVCRANK

NZ SAT Windup Satellite Dish - Fully Installed

\$1,650.00



Full Windup NZSAT Satellite Dish Installation

Betaflex Cable Covering

Ezifix Anchors

Full Standard Install

Customer Education

Connection to 1 TV

Elevation Chart

GPS System for quick alignment

Warning Alarm if you drive away with dish up.



DRVSKYRIDER

TechniSal

Fully Installed Skyrider Automatic Dish

\$3300.00

1 x 65cm Skyrider Dish

Cable Connection

Remote Go Down Connection

Includes Labour

EZI Fix to Roof

3 Year Warranty

Quality German Brand

TechniSat

Dish Only \$2900.00

DRVSAMY60

Remarks: Fold Down Height 175mm Fully Installed SAMY 60 System

\$4200.00

Brand: Ten-Haaft



1 x SAMY Auto Dish

Cable Connection

Remote Go Down Connection

Includes Labour

EZI Fix to Roof

3 Year Warranty

Quality German Brand

Remarks: Fold Down Height 20cm



DRVKIWI

Fully Installed Kiwi Sat System

\$3300.00

1 x Kiwi Sat Auto Dish Cable Connections

Remote Go Down Connection

Includes Labour

EZI Fix to Roof

Remarks: Fold Down Height 190mm



Brand: Triax

Brand: Triax

TD54

Camper 54 Portable Satellite Dish Kit

\$195.00

Unique fold up tripod stand design

Offical Triax Brand 54CM Dish

HD - 4K Ready

Kit Includes: 10750 LNB, 10M RG6 Quick Connect Cable

Supplied in a handy retail box.

The dish is pre-assembled and will take 2 mins to clip together.



TPD54

Triax 54cm Portable Dish including cable and instructions

\$260.00

Heavy duty triangular base - Withstands wind.

Adjustable legs for easy levelling

Top of the line Triax Portable Dish

The reception quality of this dish is outstanding.

10M of Premium RG6 solid copper cable.

Quality Triax 10750 LNB

Easy to align elevation system.

2 Years Warranty - Supplied boxed.



Digital RV

Supplied boxed with full instructions and elevation stickers.

Our install packages are the best way to purchase, they are fully installed including cables, connectors, sealants & labour If you choose multiple packages then discounts may apply, they also include full operational training.

Full warranty on parts and labour a great way to price you solutions, or ask us to tailor a custom package for you.



Solar

PV100

100W 12V Crystalline 850 x 670mm

\$160.00

Brand: RV Tech



· Mono 5 year mechanical warranty

- 25 year linear warranty to 70% power output
- Max.Power(Pmax)100Wp
- Maximum Operating Current(Im) 4.62A
- Maximum Operating Voltage 21.65V
- Open Circuit Voltage 26.79V
- Short Circuit Current 5.05A
- Series Fuse 15A
- Withstand high wind loads and snow loads (5400Pa)
- · Anti-reflective highly transparent, low iron tempered glass
- Transmission rate 3.18%
- 850(H)*670(W)*30(D)



PV175

175W 12V Crystalline Panel

\$250.00

Brand: RV Tech

Brand: RV Tech

Brand: RV Tech

- · Mono 5 year mechanical warranty
- 25 year linear warranty to 70% power output
- Max.Power(Pmax)175Wp
- Maximum Operating Current(Im) 8.97A
- Maximum Operating Voltage 19.5V
- Open Circuit Voltage 23.51V
- Short Circuit Current 9.15A
- Series Fuse 15A
- · Withstand high wind loads and snow loads (5400Pa)
- · Anti-reflective highly transparent, low iron tempered glass
- Transmission rate 3.18%
- 1485(H)*675(W)*30(D)



PV290

290W 24V Mono Crystaline Panel Mono 5 year mechanical warranty

\$375.00

- 25 year linear warranty to 70% power output
- Max.Power(Pmax)290Wp
- Maximum Operating Current(Im) 8.91A
- Maximum Operating Voltage 32.55V
- Open Circuit Voltage 39.50V
- Short Circuit Current 9.20A
- Series Fuse 15A
- Withstand high wind loads and snow loads (5400Pa)
- · Anti-reflective highly transparent, low iron tempered glass
- Transmission rate 3.18%
- 1645(H)*995(W)*40(D)

PV345

345W Mono Solar Panel 36V

- Mono 5 year mechanical warranty
- 25 year linear warranty to 70% power output
- Max.Power(Pmax)345Wp
- Maximum Operating Current(Im) 8.88A
- Maximum Operating Voltage 38.94V
- Open Circuit Voltage 46.80V
- Short Circuit Current 9.34A
- Series Fuse 15A
- Withstand high wind loads and snow loads (5400Pa)
- · Anti-reflective highly transparent, low iron tempered glass
- Transmission rate 3.18%
- 1960(H)*990(W)*40(D)



RV TECH





Solar

DRV175W

175W Solar Panel and Controller Fully Installed

\$1380.00



1 PV 175W Mono-crystalline Solar Panel 1 MPPT 30 amp Solar Controller 1 Solar Plug and Socket Set

1 Solar Bracket Kit Twin core Solar Cable Fuse and Holder System 4 x Terminals Flexi Conduit 2 x Solar Brackets Ezi Fix Pipe Clips.



Remarks: Add on Display Available for \$65

DRV350W

2 x 175W Solar Panel and Controller Fully Installed

\$1680.00



2 PV 175W Mono-crystalline Solar Panel 1 MPPT 30 amp Solar Controller 1 Solar Plug and Socket Set

1 Solar Bracket Kit Twin core Solar Cable Fuse and Holder System 4 x Terminals Flexi Conduit 4 x Solar Brackets Ezi Fix Pipe Clips.



Remarks: Add on Display Available for \$65

DRV700W

4 x 175W Solar Panel and Controller Fully Installed

\$2050.00



4 PV 175W Mono-crystalline Solar Panel

1 MPPT 50 amp Victron Smart Solar Controller

1 Solar Plug and Socket Set

1 Solar Bracket Kit

Twin core Solar Cable

Fuse and Holder System 4 x Terminals

Flexi Conduit

8 x Solar Brackets

Ezi Fix Pipe Clips.



Remarks: Control with inbuilt Bluetooth for monitoring

SCC110020160R

SMARTSOLAR MPPT 100/20 UP TO 48V

\$276.00

Victron SmartSolar MPPT 100/20 48V solar charge controller for 48V battery systems.

Brand: Victron Energy



SCC110030210

Smart Solar MPPT100/30 12/24v-30A

\$408.00

These ultra-fast, Maximum Power Point Tracking (MPPT), solar charge controllers are Bluetooth accessible via either built in Bluetooth

Brand: Victron Energy



Utilising the free VictronConnect app many parameters can be viewed and set, such as battery voltage, solar history, load output, flexible battery charge algorithms plus day/night timing and light dimming options.

These advanced MPPTs also include Advanced Maximum Power Point Detection in case of partial shading conditions.

Charge Current 30A

PV Power 440W @ 12V

PV Power 880W @ 24V

98% Efficiency Size: 130x186x70mm Remarks: Weight 1.3Kg

SCC115060210

SMARTSOLAR MPPT 150/60-TR (12/24/48V-60A)

\$1,048.00


Victron Energy SmartSolar MPPT 150/60-Tr Solar Charge Controller.

Brand: Victron Energy



For 12V, 24V and 48V battery systems. Maximum 150V Voc, 60A charge current. Screw terminals for both the battery and PV connections. Built-in Bluetooth communication







Lithium

LI-12-100BMS

12V 100AH Lithium Iron Phosphate Battery With BMS-BT

\$995.00

328x173x220



Nominal Voltage 12.8V Nominal Capacity 100 Ah Energy 1280Wh Cycle Life >5000 @ 0.5C 50% DOD Efficiency 97-99%

Charge Voltage 14.6 +- 0.2V

RV TECH

LI-12-120BMS

12V 120AH Lithium Iron Phosphate Battery With BMS

\$1200.00

410x173x240



Nominal Voltage 12.8V Nominal Capacity 120 Ah Energy 1536Wh Cycle Life >5000 @ 0.5C 50% DOD Efficiency 97-99% Charge Voltage 14.6 +- 0.2V

RV TECH

LI-12-150BMS

12V 150AH Lithium Iron Phosphate Battery With BMS-BT

\$1,670.00

490x173x240

520x240x230



Nominal Voltage 12.8V Nominal Capacity 150 Ah Energy 1920Wh Cycle Life >5000 @ 0.5C 50% DOD Efficiency 97-99% Charge Voltage 14.6 +- 0.2V

RVTECH

LI-12-200BMS

12V 200AH Lithium Iron Phosphate Battery With BMS-BT

\$2050.00



Nominal Voltage 12.8V Nominal Capacity 200 Ah Energy 2560Wh Cycle Life >2000 @ 1.0C 100% DOD Efficiency 97-99% Charge Voltage 14.6 +- 0.2V

RVTECH

LI-24-100BMS

24V 100AH Lithium Iron Phosphate Battery With BMS-BT

\$2,100.00



Nominal Voltage 25.6V Nominal Capacity 100 Ah Energy 2560Wh Cycle Life >2000 @ 1.0C 100% DOD Efficiency 97-99% Charge Voltage 29.2 +- 0.2V

RVTECH

LI-48-100-5U

48V 100 AH 5U rack-mount lithium-ion battery system

\$3900.00

442x222x400

520x240x230



Bult in BMS, and BMS data Bus compatible with Victron BMS

RV TECH

PW-51V-100AH

51V-100AH - 5000WH Power Wall Lithium Ion Battery

\$4050.00



Bult in BMS, and BMS data Bus compatible with Victron BMS

RV TECH



Power

SHU050150050

SMARTSHUNT 500A/50MV Fully Installed

\$550.00



The SmartShunt is an all in one battery monitor, only without a display. Your phone acts as the display. The SmartShunt connects via Bluetooth to the VictronConnect App on your phone (or tablet) and you can conveniently read out all monitored battery parameters, like state of charge, time to go, historical information and much more. In addition, the SmartShunt can be connected and be read by a GX device. Connection to the GX device is made via a VE.Direct cable.



BPR000065400

BATTERYPROTECT 12/24V 65A - Installed

\$350.00



The BatteryProtect disconnects the battery from non essential loads before it is completely discharged (which would damage the battery) or before it has insufficient power left to crank the engine.

The Battery Protect is not a uni-directional device. It can only deal with current in one direction, so either current to a load, or current from a charger, but not both currents at the same time. In addition to this, current only can only flow from the Battery terminal to the Load terminal. In case of use with a load, the battery connects to the Battery terminal, and in case of use with a charger, the charger connects to the Battery terminal.

PIN1250

PHOENIX INVERTER 12/500 230V Fully Installed

\$650.00

Victron Energy Phoenix Inverter 12/500 with VE.Direct communication port and 500VA pure sine wave output.



500w will charge E bikes, Laptops, Cell Phones, CPAP Machines, and much more. Installed with remote switch



PMP122160000

MULTIPLUS 12/1600/70-16 230VAC INVERTER/CHARGER

\$2250.00



The 500VA - 1200VA Multis are a powerful true sine wave inverter, a sophisticated battery charger that features adaptive charge technology and a high-speed AC transfer switch in a single compact enclosure.

* price is dependant battery size & capability's

Installed to exiting Power Outlets

PMP482305010

MULTIPLUS-II 48/3000/35-32

\$2,018.25



The Victron Energy MultiPlus-II inverter/charger combines the functions of the MultiPlus and the MultiGrid. It has all the features of the MultiPlus, plus an external current transformer option to implement PowerControl and PowerAssist and to optimize self-consumption with external current sensing (max. 32A). It also has all the features of the MultiGrid with built-in anti-islanding and an increasingly long list of country approvals.

Brand: Victron Energy

DMC000200010R

REMOTE PANEL VICTRON DIGITAL MULTI CONTROL

\$269.10



REMOTE PANEL VICTRON DIGITAL MULTI CONTROL 200/200A GX (90DEG RJ45)

Brand: Victron Energy



Our install packages are the best way to purchase, they are fully installed including cables, connectors, sealants & labour If you choose multiple packages then discounts may apply, they also include full operational training.

Full warranty on parts and labour a great way to price you solutions, or ask us to tailor a custom package for you.



Monitoring

BPP900450100

CERBO GX

\$579.60



This GX-device provides monitoring and operates as the communication centre of your installation-

Brand: Victron Energy

BPP900455050

GX TOUCH 50

\$435.85



The CX Touch 50 is a display accessory for the Cerbo GX-device 5" Touch Screen for use with Cerbo GX Controller.

BPP900455070

GX TOUCH 70

\$629.05



The CX Touch 70 is a display accessory for the Cerbo GX-device 7" Large Touch Screen for use with Cerbo GX Controller.

Brand: Victron Energy

BPP920140100

GX TANK 140

\$218.50

The GX Tank 140 takes readings from up to four tank level sensors. It is an accessory for our range of GX system monitoring products.

Brand: Victron Energy



Tank levels can be read-out locally in the system, see screenshot, as well remotely through the VRM Portal.

The GX Tank is compatible with current senders (4 to 20 mA) as well as voltage senders (0 to 10 V). The connection to the GX Device is via USB, which is also how the GX Tank is powered: no additional power wires required.

SC301

Ultrasonic Tank Level Bottom Sensor no penetration

\$205.85



Sensor is 28mm diameter and 18mm high

Lead length is 450mm

Working temperature:-15 to+60;

Storage temperature:-25 to+80;

Measuring resolution:1mm;

Works With Victron GX140

Brand: OEM

SCLPG-A

LPG Tank Level Magnetic - Incl pre-processor - for Victron

\$256.45



Our LPG Tank sensor will monitor vertical (not horizontal) tanks up to 800mm high (32 inches).

The sensor output is 0-5V DC. This is achieved with a pre-processor that converts the digital output to the 0-5V.

Bottle Size: 4kg to 60kg bottle. Includes "swap-n-go" gas bottles.

This sensor attaches magnetically to the bottom of a steel LPG tank

SBS050150200

Signal Pre-processor

SMART BATTERY SENSE LONG RANGE (UP TO 10M)

\$83.95

The Victron Energy Smart Battery Sense is a wireless battery voltage and temperature sensor for Victron MPPT Solar Chargers.

Brand: Victron Energy



With voltage and temperature sense in place, hatteries will be better charge

With voltage and temperature sense in place, batteries will be better charged; improving charging-efficiency and prolonging battery life.

Both for lead, and for lithium batteries.



Televisions

LEDV2420DT

24" LED TV/DVD Combination, Dual Tuner (SAT/UHF), 12 Volt

POA

New Stock October



FEATURES & BENEFITS:

23.6" (60cm) 16:9 Widescreen LED/DVB-T/DVB-S/DVD Combo Panel

HD Ready Panel

DVD/DVD+R/DVD-R/DVD+RW/DVD-RW/CD/MP3/JPEG Playback

HDMI Input

USB Recording to external Hard Drive\

AC/DC Operational / 12V Compatible (lead incl)

Hotel Lock / Parental Control

USB Port

Headphone Jack

Full Function Remote Control

Size: 555 x 63 x 338mm

\$790.00

Samsung27D

Samsung Smart Display 27"

Price includes 12-230V Kit





The World's 1st Do-It-All Screen

The display for every side of life. Get work done without a PC, with the installed Microsoft Office 365, or by remote access to your office computer. Then switch to pure entertainment with the on-board one-stop entertainment system.

Stream endless entertainment | Smart Hub

Binge watching just got easier. Access entertainment apps, such as Netflix™, YouTube™, and Amazon Prime™ without switching on your PC or laptop. The remote control and built-in speakers simplify your chill time by making streaming access a breeze.

Just say "play" to play | Voice Assistant

Switch between apps, control videos, and more through the Voice Assistant or SmartThings app.

Plug in and see | Auto Source Switch +

No more switching around. With Automatic Source Switch Plus, your monitor detects newly connected devices as soon as they're plugged in, and displays the correct signal. No more searching for the right input on the menu.

Samsung32D

Samsung Smart Display 32"

\$940.00



Everything the same as 27" = But 32" Size

Price includes 12-230V Kit

SRTV22

Mecatronic TV 22" Full HD SR Sat TV with DVD

\$628.99

Simple 22" Television with Satellite Tuner **Programmed for Freeview**

295x500x45

Brand: Mecatronic

We can install any TV to Run on 12/24VDC for Motorhome use!!



Reception

MINIVX

RV Tech Mini VX Satellite Receiver - Sky Card - HDMI 12V

\$199.00



Mini VX Satellite Receiver
DVBS/S2 Full HD
12VDC Operation includes Cig Lead
230VAC Plug Pack Supplied
HDMI Cable Supplied
Remote IR Bug Included
Remote Control
Sky Card Slot - Works with all Sky Cards.
Preloaded with Freeview and Sky Channels

SHD20

SHD20 Micro Ultimate Satellite Receiver SHD20 (Gen3) Ultimate Micro Satellite Receiver

\$190.00



Micro sized DVBS2 HDMI satellite receiver
HDMI output & Composite output - Cables included Incl 500mm HDMI
IR bug - with channel display, power & standby LEDs
USB record from EPG , Time shift functions
12VDC operation - Cig not included
230VAC operation from supplied plug pack

Mount behind TV - bracket and mounting option supplied

0000/9117

BLUSPEAKER MINI 2

\$170.00

[Petrossi]

Loudspeakers =Stereo speakers -Output performance =2 x 8 W Frequency response =60 - 20000 Hz Audio in/AUX in Micro USB -microSD card -Bluetooth 4.0 - HSP , HFP , A2DP, AVRCP - NFC Rechargeable battery =2000 mAh - Battery life =7 h -Battery Charge time =2.5 h

Incredible sound from such a small portable speaker. TechniSat German Quality

TechniSat

Brand: TechniSat

206 x 64 x 60mm

Brand: TechniSat

270 x 150 x 80 mm

0000/9119

BLUSPEAKER TWS XL

\$260.00



Loudspeakers =Stereo speakers , Output performance =2 x 15 W Frequency response =60 - 18000 Hz ,Audio in/AUX in Bluetooth 4.2 - HSP , HFP , A2DP, AVRCP , NFC True Wireless Stereo (TWS) when paired with another TWS XL Rechargeable battery =2200 mAh ,Battery life =9 h ,Battery charge time =4.5h Amazing sound - Quality Brand, You have to hear this to believe it :) Pair two units for Full Wireless Stereo

TechniSat

0000/3950

DIGITRADIO 585

\$950.00

Brand: TechniSat



FM
Internet Radio - Thousands of radios stations from around the world
CD Player with MP3
Spotify Free
Wireless Charging
Works with Alexa Voice Control Alarm Clock
Remote Control
USB Charging

12VDC operation - Supplied with 240V adaptor


TechniSat



Notes







Digital RV 43 Canada Crescent Hornby South Christchurch

www.digitalrv.co.nz

03 344 5418



